

Serial No.: 09/858,098
Group Art Unit: 2633
Examiner: Hung Nhat Ngo

Amendment to the Claims

1 (Currently Amended). A communications network comprising:
a pair of network elements;

two or more working fibers spans coupled between said pair of network elements for carrying communications traffic between said pair of network elements, each working fiber spans carrying said communications traffic over a plurality of channels associated with one or more rings;

a shared protection fiber span coupled between said network elements, said shared protection fiber span providing a plurality of channels in excess of the number of channels of one or more of the working fibers spans;

wherein said network elements include circuitry for concurrently switching communication traffic on rings associated with different working fibers spans to respective channels of said shared protection fiber span.

2 (Currently Amended). The communications network of claim 1 wherein said shared protection fiber span provides a plurality of channels in excess of the number of channels of any of the one or more working spans.

3 (Currently Amended). The communications network of claim 1 wherein at least one of said working fibers spans carries traffic for multiple ring structures.

4 (Original). The communications network of claim 1 wherein said pair of network elements each includes a non-blocking optical matrix.

5 (Currently Amended). The communications network of claim 4 wherein each of said pair of network elements is coupled to two or more incoming working fibers spans and two or more corresponding incoming protection fibers spans.

Serial No.: 09/858,098
Group Art Unit: 2633
Examiner: Hung Nhat Ngo

6 (Currently Amended). The communications network of claim 5 wherein each of said pair of network elements includes control circuitry for switching a channel from each of said incoming protection fibers spans to an available channel of said shared protection fiber span.

7 (Currently Amended). The communications network of claim 6 wherein said control circuitry further is operable to switch a channel from each of said incoming working fibers spans to said shared protection fiber span.

8 (Currently Amended). The communications network of claim 5 wherein each of said pair of network elements includes control circuitry for switching a channel from said shared protection span to a channel on an outgoing protection fiber span.

9 (Currently Amended). A network element comprising:
interface circuitry for coupling to two or more incoming working fibers spans and two or more respective incoming protection fibers spans, each of said working fibers spans operable to carry communications traffic over a plurality of channels associated with one or more rings; and
switching circuitry for concurrently coupling channels from different incoming protection fibers spans to a shared protection fiber span, said shared protection fiber span providing a plurality of channels in excess of the number of channels of one or more of the working fibers spans.

10 (Currently Amended). The communications network of claim 1 wherein shared protection fiber span provides a plurality of channels in excess of the number of channels of any of the one or more working fibers spans.

11 (Currently Amended). The network element of claim 9 wherein said switching circuitry includes control circuitry for selective switching a channel from an incoming protection fiber span to an available channel on said shared protection fiber span responsive to control information.

Serial No.: 09/858,098
Group Art Unit: 2633
Examiner: Hung Nhat Ngo

12 (Original). The network element of claim 11 wherein said switching circuitry further includes a non-blocking optical matrix.

13 (Original). The network element of claim 9 wherein said interface circuitry includes a channel demultiplexer.

14 (Original). The network element of claim 13 wherein said interface circuitry further includes a channel multiplexer.

15 (Original). The network element of claim 14 wherein said interface circuitry includes input/output shelves coupled to said demultiplexer and said multiplexer.
